

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 20 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 20 1997

The applicant TRW Inc., hereby makes application for permission to change the Point of Diversion, Place and Manner of Use of a portion of water heretofore appropriated under Permit 51328

1. The source of water is Underground
2. The amount of water to be changed 0.035 c.f.s., not to exceed 25.0 ac. ft./yr.
3. The water to be used for Quasi-Municipal
4. The water heretofore permitted for Mining, Milling and Domestic
5. The water is to be diverted at the following point Lot 4 (NW $\frac{1}{2}$ NW $\frac{1}{2}$) Section 5, T.18N., R.22E., MDM, or at a point from which the NW corner of said Section 5 bears N. 54° 11' W., 1248 feet
6. The existing permitted point of diversion is located within NE $\frac{1}{2}$ NE $\frac{1}{2}$ Section 13, T.20N., R.23E., MDM, or at a point from which the Northeast corner of said Section 13 bears, N. 89° 34' 43" E., a distance of 1128 feet
7. Proposed place of use Sections 31 and 32, T.19N., R.22E.; Sections 4, 5, 6, 7, 8, 9, 16, 17, and 18, T.18N., R.22E., MDB&M
8. Existing place of use All of Section 13, T.20N., R.23E., MDM northerly of U.S. Interstate 80
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works well, pump and motor, storage tank and distribution system
12. Estimated cost of works \$50,000
13. Estimated time required to construct works 1 year
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: Please use map on file at the Division of Water Resources under Permit 51328 to support the existing point of diversion and place of use. Conveyance of title will be made of record prior to the ready for action date for this application.

63349

The duty to be changed by this application is in addition to those water rights that currently exist within the proposed place of use, and is not supplemental.

By Brian A. Randall, Resource Concepts, Inc
s/Brian A. Randall
340 North Minnesota Street
Carson City, Nevada 89703

Compared my/CMS lw/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 51328 is issued subject to the terms and conditions imposed in said Permit 51328 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.035 cubic feet per second, but not to exceed 25.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 18, 1999

Proof of completion of work shall be filed before:

March 18, 1999

Application of water to beneficial use shall be filed on or before:

February 18, 2000

Proof of the application of water to beneficial use shall be filed on or before:

March 18, 2000


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 18th day of February, A.D. 1998



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____